EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30539	709/201-203,217-220,223-225,249. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:55
L2	502	1 and (list$3 order sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (notification event detect$3 snmp) near3 (snmp items bind$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:05
L3	10	2 and (modif$3 updat$3) near5 (notification object event trap message) near3 snmp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:00
L4	0	3 and (defined specified directed desired requested) near3 (list$3 order$3 sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (object mib notification event detect$3 snmp) near3 (snmp items bind$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:07
L5	35	2 and (defined specified directed desired requested) near3 (list$3 order$3 sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (object mib notification event detect$3 snmp) near3 (snmp items bind$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:10
L6	18	5 and (include defin$3 specif$5) near3 (list$3 order$3 sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (object mib event detect$3 snmp) near3 (notification event detected trap adj1 message inform adj1 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:21
L7	4	6 and management adj1 station	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:22
S1	10155	709/213,214,216-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/14 13:34

EAST Search History

S2	12314	709/225-227,232,238,245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:00
S92	314	snmp.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:12
S93	1089	snmp.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:12
S94	1433	snmp.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:12
S95	2329	S92 S93 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:16
S96	241388	S95 and manag$5 near2 (station device unit) nearr5 (defin$4 specif$5) near2 (order sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:23
S97	2	S95 and manag$5 near2 (station device unit) near5 (defin$4 specif$5) near2 (order sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:23
S98	5	S95 and (modif$3 updat$3) near2 (list$3 order sequence) near5 object	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:21
S99	5	S95 and (modif$3 updat$3) near2 (list$3 order sequence) near5 (notification object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:59
S100	276	S95 and (list$3 order sequence) near5 (notification object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:26
S101	102	S100 and (defin$4 specif$5 arrang$3 rank$3) near4 (order sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:23
S102	6616532	S101 and manag$6 near2 (station device unit) nearr5 (defin$4 specif$5 requested desired instructed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:25

EAST Search History

S10 3	51	S101 and manag$6 near2 (station device unit) near5 (defin$4 specif$5 requested desired instructed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:25
S10 4	36	S103 and (list$3 order sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (notification event detect$3) near3 (items bind$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:33
S10 5	1521	((list$3 order sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (notification event detect$3) near3 (items bind$5 trap adj1 message inform adj1 message object)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:53
S10 6	0	("CISCO TECHNOLOGY, INC.").asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:54
S10 7	7050	(CISCO adj1 TECHNOLOGY).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:55
S10 8	2	S105 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:55
S10 9	45	("MCCLOGHRIE, KEITH" "KAVASSERI, RAMANATHAN" "DURHAM, SANDRA").inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:56
S11 0	2	S105 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:56
S11 1	26509	709/202-203,218-220,223-225,249. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:54
S11 2	2422	719/315-318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:32
S11 3	162	S112 and (list$3 order sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (notification event detect$3) near3 (items bind$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:33

EAST Search History

S11 4	168	S112 and (list$3 order sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (notification event detect$3 snmp) near3 (snmp items bind$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:55
S11 5	2	S114 and manag$6 near2 (station device unit) near5 (defin$4 specif$5 requested desired instructed) near4 (list$3 order sequence arrang$3 reorder$3 re?order$5 rearrang$5 re?arrang$3) near5 (notification event detect$3 snmp items bind$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:57

Google

Web   Images   Video   News   Maps   more »

management station modify snmp object spe | Search | Advanced Search·
                                                          Preferences

---

Web Results **51 - 60** of about **196,000** for <u>management **station** modify **snmp object specific order**</u>. (0.17 se

Network Working Group D. Raz Request for Comments: 2962 Lucent ...
An **SNMP** PDU defines the parameters for a **specific SNMP** protocol operation. ... are to be
managed from a single **management station** address collision occurs. ...
www.ibr.cs.tu-bs.de/bin/rfc.cgi?PATTERN=2962&backurl=%2Fvs%2Fbib.html&lang=de -
69k - <u>Cached</u> - <u>Similar pages</u>

User-friendly interface for setting expressions on an **SNMP** agent ...
In **order** for an **SNMP management station** 10 to manage a node directly, ... **station** to
query the state of the agent's local **objects** and **modify** them if ...
www.patentstorm.us/patents/6085237-description.html - 38k - <u>Cached</u> - <u>Similar pages</u>

[PDF] 01.CovMaster-Cyan copy
File Format: PDF/Adobe Acrobat
SNMP polls. It will be assumed that the **management station** and the ... In **order** to
achieve that, we will use the local syslog ... vendor-**specific** MIBs. ...
www.usenix.org/publications/login/2003-02/pdfs/skvarcek.pdf - <u>Similar pages</u>

Net-**SNMP**
In particular, it is legal to **modify** schedInterval and the **objects** in the ... A pointer to a
specific object instance. For example, sysContact.0 or ...
net-**snmp**.sourceforge.net/docs/mibs/schedMIB.html - 46k - <u>Cached</u> - <u>Similar pages</u>

MultiNet V5.1 Install & Admin Guide Ch23.htm
Specific items in the **SNMP management** base that appear after the SMUX MIB ... To
define the values of several MIB **objects** in the **SNMP** configuration file, ...
www.process.com/tcpip/mndocs51/ADMIN_GUIDE/Ch23.htm - 41k -
<u>Cached</u> - <u>Similar pages</u>

SWITCHmirror - Internet-Drafts & RFC
The **SNMP** Network **Management** Framework The **SNMP** Network **Management**
Framework ... If a **Management Station** requests the **objects** from a row with index
"#INTER " ...
mirror.switch.ch/cgi-bin/search/nph-findstd?preview=2051&scope=rfc - 21k -
<u>Cached</u> - <u>Similar pages</u>

RFC 1271 Remote Network Monitoring **Management** Information Base
RFC 1157 which defines the **SNMP**, the protocol used for network access to managed ... In
fact, a network **management station** should only **modify** these **objects** ...
www1.tools.ietf.org/html/rfc1271 - 202k - <u>Cached</u> - <u>Similar pages</u>

Sun ONE Directory Server 5.2 Getting Started Guide:
In Sun ONE Directory Server, the managed **objects** are held in cn=monitor, and the **SNMP**
agent provides to the network **management station**. ...
docs.sun.com/source/816-6696-10/glossary.html - 49k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Distributed Network **Management** Using **SNMP**, Java, WWW and CORBA
File Format: PDF/Adobe Acrobat
For communication between the **objects a specific Object** Request Broker ... lect and
modify management information. Within this context, we have defined ...
www.springerlink.com/index/M3283517822285R5.pdf - <u>Similar pages</u>

[PDF] Transparent Ready
File Format: PDF/Adobe Acrobat - View as HTML
management station, to monitor and control all Ethernet architecture ... The Transparent
Ready private MIB includes **management objects specific** to the ...
www.telemecanique.com/__85256e54006445ad.nsf/
all/18073FEE56FF26DF412570D800581E23/$File/transparentreadys... - Similar pages

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 101112131415   **Next**

management station modify snmp d Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Web   Images   Video   News   Maps   more »

Google

management station specifies list snmp objec   Search   Advanced Search
                                                          Preferences

---

Web Results **11 - 13** of **13** for **management station specifies list snmp object specific order reordered** RAI

[PDF] COMPUTER COMMUNICATION REVIEW
File Format: PDF/Adobe Acrobat
independent of any **specific** policy, they may require systematic. though limited adaptation
work, in **order** to support any particular. economic model. **...**
www.sigcomm.org/ccr/archive/2002/nov02/ccr-2002-5-all.pdf - Similar pages

194 02 2007-04-12 10828 This document describes a two rate three ...
This document **specifies** a link **management** protocol (LMP) that runs **...** In particular, it
defines a set of managed **objects** for **SNMP** based **management** of the **...**
rtg.ietf.org/~fenner/ietf/id-combo.xml - Similar pages

[PDF] Quality issues in Internet packet forwarding
File Format: PDF/Adobe Acrobat
packets within an application data stream are not **reordered** even if they are **...** **order** of a
TCP saw tooth from 66 to 133 percent of the rate **specified** in **...**
epubl.ltu.se/1402-1544/2003/15/LTU-DT-0315-SE.pdf - Similar pages

*In order to show you the most relevant results, we have omitted some entries very similar to
the 13 already displayed.*
If you like, you can repeat the search with the omitted results included.

Result Page: **Previous** 1 **2**

---

management station specifies list sr   Search

Search within results | Language Tools | Search Tips

Google

Web   Images   Video   News   Maps   **more »**

| management station specifies list snmp objec | Search | Advanced Search
Preferences |

Web Results **41 - 50** of about **904** for **management station specifies list snmp object specific order reorder**

[PDF] **NTCIP Standards Bulletin**
File Format: PDF/Adobe Acrobat - View as HTML
the read of this **object**, then the **management station** is the owner of the ... which has the
most **specific** date **specified**. Select the more **specific** event ...
www.ntcip.org/new/NTCIP_1201_Amend_2_v10_RA.pdf - Similar pages

Diff: /away/ietf/rfc/rfc1461.txt - /away/ietf/all-ids/draft-ietf ...
Some **objects** were **re-ordered** and some descriptions were ... creating **management
station** is still setting, creating **management station** is still setting ...
bgp.potaroo.net/cgi-bin/htmldiff?f1=rfc1461.txt&f2=draft-ietf-x25mib-ipox25mib-04.txt - 270k
- Cached - Similar pages

[PDF] **Network Management Protocols and Tools Study**
File Format: PDF/Adobe Acrobat
SNMP managers and the agents. A network **management station** (NMS) is a ... which
specifies the **object** type. The syntax (ASN.1) has the intention to ...
content.grin.com/data/22/1892.pdf - Similar pages

RFC3287
The **SNMP Management** Framework presently consists of five major components: ... A
management station can use this **object** to detect if counters in the DSMON ...
www.scit.wlv.ac.uk/rfc/rfc32xx/RFC3287.html - 235k - Cached - Similar pages

SNMP Information and News Information and Resources | Snmp manager ...
In essence, a principal operates from a **management station** and issues **SNMP** ... and a
list of variables (**management objects**) to which the command refers. ...
www.cybersnmp.com/article.xml - 129k - Cached - Similar pages

[DOC] **Combo Document**
File Format: Microsoft Word - View as HTML
Requests to be added to the Windows **SNMP** mailing **list** should be addressed to ... When
hereinafter we use the prototypical **management station**/managed node ...
www.ibiblio.org/pub/micro/pc-stuff/ms-windows/winsnmp/winsnmp_app/OLD/winsnmp.doc
- Similar pages

[DOC] **Combo Document**
File Format: Microsoft Word - View as HTML
Requests to be added to the Windows **SNMP** mailing **list** should be addressed as ... When
hereinafter we use the prototypical **management station**/managed node ...
www.winsnmp.com/docs/winsnmp.doc - Similar pages

heise Netze - RFC 3287: Remote Monitoring MIB Extensions for ...
The **SNMP** Network **Management** Framework The **SNMP Management** Framework ... A
management station can use this **object** to detect if counters in the DSMON data ...
www.heise.de/netze/rfc/rfcs/rfc3287.shtml - 272k - Cached - Similar pages

EP856812 Symbol european software patent - Portable shopping and ...
EP856812 Symbol technologies inc (US): Portable shopping and **order** fulfillment ... points
is compatible with the Simple Network **Management** Protocol (**SNMP**). ...
gauss.ffii.org/PatentView/EP856812 - 140k - Cached - Similar pages

Portable shopping and order fulfillment system - US Patent 7040541
Store **specific** shopping system and method including a map/shopping **list** ... access points
is compatible with the Simple Network **Management** Protocol (**SNMP**). ...
www.patentstorm.us/patents/7040541-description.html - 97k - <u>Cached</u> - <u>Similar pages</u>

Result Page: **Previous** <u>1</u> <u>2</u> <u>3</u> <u>4</u> **5** <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u><u>12</u><u>13</u><u>14</u>   **Next**

| management station specifies list sr | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google

Google

Web   Images   Video   News   Maps   **more »**

management station modify snmp object spe | Search |

Web Results **1 - 10** of about **196,000** for <u>management **station** modify snmp object specific order</u>. (0.33 sec

Net-**SNMP**
If there is no lower sub-layer, then this **object** has the value 0. ... `createAndGo', which is
supplied by a **management station** wishing to create a new ...
net-**snmp**.sourceforge.net/docs/mibs/ifInvertedStackMIB.html - 19k -
Cached - Similar pages

SNMP MIB
When an **SNMP** agent needs to access a **specific** managed **object**, it traverses ... As the
management station gets and sets **object** values in the local **SNMP** MIB ...
edocs.bea.com/**snmp**agnt/v210/mibref/1tmib.html - 41k - <u>Cached</u> - Similar pages

Using the BEA **SNMP** Agent Integrator for Polling
The BEA **SNMP** Agent Integrator must know how to access the managed **object**. ... The
specific rule can be Set from a **management station** (such as OpenView or ...
edocs.bea.com/**snmp**agnt/v210/adminguide/6polling.html - 59k - Cached - Similar pages

How To Add, **Modify**, and Remove VLANs on a Catalyst Using **SNMP** [IP ...
The **management station** should endeavor to make all rows consistent in the table ... In
order to check which VLANs are currently configured on the switch, ...
www.cisco.com/en/US/tech/tk648/tk362/technologies_tech_note09186a00801c6035.shtml -
37k - Cached - Similar pages

Cisco - **SNMP** FAQs for Cable Networks
In **order** for a **management** system (like CiscoView or HPOV) to understand a ... A. Use the
SNMP Object Navigator to translate traps and Cisco MIB **Object** IDs ...
www.cisco.com/warp/public/109/cable_**snmp**_faq.shtml - 47k - Cached - Similar pages
[More results from www.cisco.com]

Network **Management** for Microsoft Networks Using **SNMP**
The Network **Management Station** can issue **specific** requests to a device for ... In **SNMP**,
MIB **objects** are given a unique **object** identifier consisting of a ...
www.microsoft.com/technet/archive/winntas/maintain/networkm.mspx - 54k -
Cached - Similar pages

Zvon - RFC 2021 [Remote Network Monitoring **Management** Information ...
In fact, a network **management station** should only **modify** these **objects** under the ...
attempt to set configuration information simultaneously using **SNMP**. ...
www.zvon.org/tmRFC/RFC2021/Output/chapter3.html - 19k - Cached - Similar pages

IETF March 1998 Proceedings - edited
The MIB **object** definitions produced will be for use by **SNMP** and will be ... The concern
was that a **management station** can't tell whether an agent is ...
www3.ietf.org/proceedings/98mar/98mar-edited-73.htm - 26k - Cached - Similar pages

Network **management** agent with user created **objects** providing ...
There are typically no provisions for a user to add or **modify objects**. ... Network
management station 102 manages a variety of managed nodes 104, 108. ...
www.freepatentsonline.com/5367635.html - 35k - Cached - Similar pages

RFC 2962 (rfc2962) - An **SNMP** Application Level Gateway for Payload ...

This information is then sent by the router back to the **management station** as part of the
payload of an **SNMP** packet. In **order** to retain consistency in the ...
www.faqs.org/rfcs/rfc2962.html - 47k - Cached - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

| management station modify snmp c | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google

Web   Images   Video   News   Maps   **more »**

| management station modify snmp object spɛ | Search | Advanced Search
Preferences |

Web Results **31 - 40** of about **196,000** for <u>management **station** modify **snmp** **object** specific **order**</u>. (0.40 se₍

[PDF] <u>Utilizing Leading Edge **Management** Technologies Within The Tactical ...</u>
File Format: PDF/Adobe Acrobat
utilized within a **specific management** environment. Application **Objects** provide
services ... messages are transmitted to the **SNMP** agent software that ...
ieeexplore.ieee.org/iel3/4198/12335/00569404.pdf?arnumber=569404 - <u>Similar pages</u>

<u>rfc3577 txt</u>
The probe may then attempt to notify the **management station** when an ... The RMON-1
alarmTable **objects** and RMON-1 notification types are **specific** to 32-bit ...
www.ietf.org/rfc/rfc3577.txt - 68k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>PSTN/ ISDN/ VoIP - Based Solution for Voice Communications within ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
The **SNMP** manager can retrieve **management** information. from the agent by sending
requests (get, getNext,. getBulk). In **order** to **modify** the **management** ...
www.utcluj.ro/telefoane/PSTN_ISDN_VoIP.pdf - <u>Similar pages</u>

<u>**SNMP** - Simple Network Managment Protocol</u>
Object instances (protocol **specific**): message transmission format (BER) ... Each **SNMP**
managed **object** belongs to a community; NMS **station** may belong to ...
www2.rad.com/networks/1995/**snmp/snmp**.htm - 21k - <u>Cached</u> - <u>Similar pages</u>

<u>Webmaster's Guide</u>
The **SNMP** agent talks to the network **management station** or responds to command ...
The following Variable Names and **Object** IDs are provided for **SNMP** support ...
165.166.240.2/Docs/icswgmgt.htm - 26k - <u>Cached</u> - <u>Similar pages</u>

[PS] <u>A Study of Web-Based **SNMP** Network **Management** with a Simple Java ...</u>
File Format: Adobe PostScript - <u>View as Text</u>
(2) GetNext -- Allows the **management station** to retrieve the next **object** in the MIB ... in
order to change or **modify** the data it displays, whereas a Java ...
ftp://ftp.eng.auburn.edu/pub/techreports/cse/98/CSE98-01.ps.gz - <u>Similar pages</u>

<u>[Chapter 11] 11.9 Simple Network **Management** Protocol</u>
The manager (the client) runs on the Network **Management Station** (NMS). ... Every **object**
managed by **SNMP** has a unique **object** identifier defined by the ASN.1 ...
www.unix.org.ua/orelly/networking/tcpip/ch11_09.htm - 21k - <u>Cached</u> - <u>Similar pages</u>

<u>RFC 3577</u>
There are sometimes conditions when a **management station** will not be in ... at agent
initialization and SHOULD NOT **modify** the **objects** during operation. ...
www.apps.ietf.org/rfc/rfc3577.html - 70k - <u>Cached</u> - <u>Similar pages</u>

    <u>RFC 2962</u>
    station as part of the payload of an **SNMP** packet. In **order** to retain consistency ... and
    irrespective of the **specific** managed **object** types being accessed. ...
    www.apps.ietf.org/rfc/rfc2962.html - 47k - <u>Cached</u> - <u>Similar pages</u>

<u>RFC 1446 - Security Protocols for version 2 of the Simple Network ...</u>
In **order** to reset these values, the responsible **management station** may set the ... to

---

ensure the processing of SNMPv2 messages occurs in a **specific order**. o ...
rfc.sunsite.dk/rfc/rfc1446.html - 112k - Cached - Similar pages

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12 13   **Next**

| management station modify snmp c | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google